

**Bourne Seal Natural**

Revision: 2017-06-13

Version: 01.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** Bourne Seal Natural

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses:**

For professional use only.

AISE-P406 - Polish/Impregnating agent. Manual process

**Uses advised against:** Uses other than those identified are not recommended

**1.3 Details of the supplier of the safety data sheet**

**Contact details**

Diversey Hygiene Sales Limited  
Jamestown Road, Finglas, Dublin 11, Ireland  
Tel: 01 8081808 (9am - 5pm Mon-Fri)  
Email: dublin.orders@sealedair.com

**1.4 Emergency telephone number**

Tel: 01 8081808 (9am - 5pm Mon-Fri)  
After hours: National Poisons Centre, Beaumont Hospital, Dublin 9  
Tel: 01 8379964

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Flam. Liq. 3 (H226)  
STOT RE 1 (H372)  
STOT SE 3 (H336)  
EUH066  
Aquatic Chronic 3 (H412)

**2.2 Label elements**



**Signal word:** Danger.

Contains naphtha (petroleum), hydrotreated heavy (Mineral Oil). EUH208: 2-butanone oxime (2-Butanone Oxime)

**Hazard statements:**

H226 - Flammable liquid and vapour.  
H372 - Causes damage to organs through prolonged or repeated exposure.  
H336 - May cause drowsiness or dizziness.  
EUH066 - Repeated exposure may cause skin dryness or cracking.  
EUH208 - May produce an allergic reaction.  
H412 - Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P370 + P378 - In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish.  
P403 + P235 - Store in a well-ventilated place. Keep cool.

**Bourne Seal Natural****Further indications on the label:**

EU limit value for this product (cat A/i): 500 g/l. This product contains max 500 g/l VOC.

**2.3 Other hazards**

No other hazards known

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
naphtha (petroleum), hydrotreated heavy	265-150-3	64742-48-9	No data available	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H336) EUH066		30-50
xylene (mix)	215-535-7	1330-20-7	01-2119488216-32	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		1-3
distillates (petroleum), hydrotreated light	265-149-8	64742-47-8	No data available	Asp. Tox. 1 (H304) EUH066		1-3
2-ethylhexanoic acid, zirconium salt	245-018-1	22464-99-9	No data available	Repr. 2 (H361) Skin Irrit. 2 (H315) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		0.1-1

\* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

Get medical attention or advice if you feel unwell. Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position and seek medical advice. Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention or advice if you feel unwell.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

May cause drowsiness or dizziness.

**Skin contact:**

Repeated exposure may cause skin dryness or cracking.

**Eye contact:**

No known effects or symptoms in normal use.

**Ingestion:**

No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Sand. Alcohol-resistant foam. Do not use water.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

## Bourne Seal Natural

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Turn off all sources of ignition. Ventilate the area.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

**6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

Keep away from flames and hot surfaces. No smoking. Keep away from heat. Take precautionary measures against static discharges.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Store used personal protective equipment separately. Use personal protective equipment as required. Use only with adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. Store in a well-ventilated place. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
xylene (mix)	50 ppm 221 mg/m <sup>3</sup>	100 ppm 442 mg/m <sup>3</sup>
2-ethylhexanoic acid, zirconium salt	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	-	-	-	-
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available
2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	No data available	-	No data available	180
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available

## Bourne Seal Natural

2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available
--------------------------------------	-------------------	-------------------	-------------------	-------------------

## DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	No data available	-	No data available	108
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available
2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	289	289	-	77
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available
2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	174	174	-	14.8
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available
2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available

## Environmental exposure

## Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	-	-	-	-
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available
2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available

## Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
naphtha (petroleum), hydrotreated heavy	No data available	No data available	No data available	No data available
xylene (mix)	-	-	-	-
distillates (petroleum), hydrotreated light	No data available	No data available	No data available	No data available
2-ethylhexanoic acid, zirconium salt	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## Personal protective equipment

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).  
**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** If gases, vapour or aerosols may develop use: half mask (EN 140) with filter type A2P2 (EN 14387). Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

## Method / remark

**Physical State:** Liquid  
**Colour:** Clear, Brown

## Bourne Seal Natural

**Odour:** Product specific**Odour threshold:** Not applicable**pH:** Not applicable.**Melting point/freezing point (°C):** Not determined

Not relevant to classification of this product

**Initial boiling point and boiling range (°C):** Not determined

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
naphtha (petroleum), hydrotreated heavy	No data available		
xylene (mix)	No data available		
distillates (petroleum), hydrotreated light	No data available		
2-ethylhexanoic acid, zirconium salt	No data available		

**Flash point (°C):** ≈ 51**Sustained combustion:** The product sustains combustion  
( UN Manual of Tests and Criteria, section 32, L.2 )**Evaporation rate:** Not determined**Flammability (solid, gas):** Not determined**Upper/lower flammability limit (%):** Not determined**Method / remark**

closed cup

UN Manual of Tests and Criteria, section 32, L.2

Substance data, flammability or explosive limits, if available:

**Method / remark****Vapour pressure:** Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
naphtha (petroleum), hydrotreated heavy	No data available		
xylene (mix)	No data available		
distillates (petroleum), hydrotreated light	No data available		
2-ethylhexanoic acid, zirconium salt	No data available		

**Method / remark****Vapour density:** Not determined**Relative density:** ≈ 0.89 (20 °C)**Solubility in / Miscibility with Water:** Not miscible or difficult to mix

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
naphtha (petroleum), hydrotreated heavy	No data available		
xylene (mix)	0.175	Method not given	
distillates (petroleum), hydrotreated light	No data available		
2-ethylhexanoic acid, zirconium salt	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Method / remark****Autoignition temperature:** Not determined**Decomposition temperature:** Not applicable.**Viscosity:** > 20.5 mm<sup>2</sup>/s (20 °C)**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.**Oxidising properties:** Not oxidising.**9.2 Other information****Surface tension (N/m):** Not determined

Not relevant to classification of this product

**Corrosion to metals:** Not corrosive

Substance data, dissociation constant, if available:

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Mixture data:.

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

ATE - Inhalatory, vapours (mg/l): >50

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)	LD <sub>50</sub>	2000 - 5000		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)		No data available		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)	LC <sub>50</sub>	> 10		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			
xylene (mix)	Irritant		Method not given	
distillates (petroleum), hydrotreated light	No data available			
2-ethylhexanoic acid, zirconium salt	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			
xylene (mix)	Severe damage		Method not given	
distillates (petroleum), hydrotreated light	No data available			
2-ethylhexanoic acid, zirconium salt	No data available			

## Bourne Seal Natural

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			
xylene (mix)	No data available			
distillates (petroleum), hydrotreated light	No data available			
2-ethylhexanoic acid, zirconium salt	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy	No data available			
xylene (mix)	No data available			
distillates (petroleum), hydrotreated light	No data available			
2-ethylhexanoic acid, zirconium salt	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
naphtha (petroleum), hydrotreated heavy	No data available			
xylene (mix)	No data available			
distillates (petroleum), hydrotreated light	No data available			
2-ethylhexanoic acid, zirconium salt	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
naphtha (petroleum), hydrotreated heavy	No data available		No data available	
xylene (mix)	No evidence for mutagenicity, negative test results		No data available	
distillates (petroleum), hydrotreated light	No data available		No data available	
2-ethylhexanoic acid, zirconium salt	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
naphtha (petroleum), hydrotreated heavy	No data available
xylene (mix)	No data available
distillates (petroleum), hydrotreated light	No data available
2-ethylhexanoic acid, zirconium salt	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
naphtha (petroleum), hydrotreated heavy			No data available				
xylene (mix)			No data available				No evidence for reproductive toxicity
distillates (petroleum), hydrotreated light			No data available				
2-ethylhexanoic acid, zirconium salt			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
naphtha (petroleum), hydrotreated heavy		No data available				
xylene (mix)		No data available				
distillates (petroleum), hydrotreated light		No data available				
2-ethylhexanoic acid, zirconium salt		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
naphtha (petroleum), hydrotreated heavy		No data available				
xylene (mix)		No data available				
distillates (petroleum), hydrotreated light		No data available				
2-ethylhexanoic acid, zirconium salt		No data available				

## Bourne Seal Natural

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
naphtha (petroleum), hydrotreated heavy		No data available				
xylene (mix)		No data available				
distillates (petroleum), hydrotreated light		No data available				
2-ethylhexanoic acid, zirconium salt		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
naphtha (petroleum), hydrotreated heavy			No data available					
xylene (mix)			No data available					
distillates (petroleum), hydrotreated light			No data available					
2-ethylhexanoic acid, zirconium salt			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
naphtha (petroleum), hydrotreated heavy	No data available
xylene (mix)	No data available
distillates (petroleum), hydrotreated light	No data available
2-ethylhexanoic acid, zirconium salt	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
naphtha (petroleum), hydrotreated heavy	No data available
xylene (mix)	No data available
distillates (petroleum), hydrotreated light	No data available
2-ethylhexanoic acid, zirconium salt	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)	LC <sub>50</sub>	1 - 10		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)	LC <sub>50</sub>	1 - 10		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

## Bourne Seal Natural

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)	LC <sub>50</sub>	1 - 10		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)		No data available			
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
naphtha (petroleum), hydrotreated heavy		No data available			
xylene (mix)	EC <sub>50</sub>	100		Method not given	
distillates (petroleum), hydrotreated light		No data available			
2-ethylhexanoic acid, zirconium salt		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
naphtha (petroleum), hydrotreated heavy		No data available				
xylene (mix)	NOEC	1 - 10				
distillates (petroleum), hydrotreated light		No data available				
2-ethylhexanoic acid, zirconium salt		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
naphtha (petroleum), hydrotreated heavy		No data available				
xylene (mix)		No data available				
distillates (petroleum), hydrotreated light		No data available				
2-ethylhexanoic acid, zirconium salt		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
naphtha (petroleum), hydrotreated heavy		No data available				
xylene (mix)		No data available				
distillates (petroleum), hydrotreated light		No data available				
2-ethylhexanoic acid, zirconium salt		No data available				

## Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

## Bourne Seal Natural

Terrestrial toxicity - soil bacteria, if available:

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
xylene (mix)	No data available		Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
naphtha (petroleum), hydrotreated heavy					No data available
xylene (mix)					Readily biodegradable
distillates (petroleum), hydrotreated light					No data available
2-ethylhexanoic acid, zirconium salt					No data available

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
naphtha (petroleum), hydrotreated heavy	No data available			
xylene (mix)	No data available			
distillates (petroleum), hydrotreated light	No data available			
2-ethylhexanoic acid, zirconium salt	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
naphtha (petroleum), hydrotreated heavy	No data available				
xylene (mix)	No data available				
distillates (petroleum), hydrotreated light	No data available				
2-ethylhexanoic acid, zirconium salt	No data available				

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
naphtha (petroleum), hydrotreated heavy	No data available				
xylene (mix)	No data available				Potential for adsorption to soil
distillates (petroleum), hydrotreated light	No data available				
2-ethylhexanoic acid, zirconium salt	No data available				

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Other adverse effects

No other adverse effects known.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

**Waste from residues / unused products:**

**European Waste Catalogue:**

**Empty packaging Recommendation:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.  
16 03 05\* - organic wastes containing dangerous substances.

Dispose of observing national or local regulations.

**SECTION 14: Transport information**

**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number:** 1263

**14.2 UN proper shipping name:**

Paint

**14.3 Transport hazard class(es):**

Class: 3

Label(s): 3

**14.4 Packing group:** III

**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

**14.6 Special precautions for user:** None known.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.

**Other relevant information:**

**ADR**

**Special provisions:** Special provision 640E

**Classification code:** F1

**Tunnel restriction code:** D/E

**Hazard identification number:** 30

**IMO/IMDG**

**EmS:** F-E, S-E

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture.

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.*

**SDS code:** MS1003438

**Version:** 01.0

**Revision:** 2017-06-13

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H226 - Flammable liquid and vapour.
- H304 - May be fatal if swallowed and enters airways.
- H312 - Harmful in contact with skin.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H336 - May cause drowsiness or dizziness.
- H361 - Suspected of damaging fertility or the unborn child.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- EUH066 - Repeated exposure may cause skin dryness or cracking.

**Abbreviations and acronyms:**

**Bourne Seal Natural**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate

**End of Safety Data Sheet**